# **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:

C07F 15/00 // A61K 31/28, A61P 35/00

A1

(11) International Publication

(11) International Publication Number: WO 00/61590

(43) International Publication Date:

19 October 2000 (19.10.00)

(21) International Application Number:

PCT/CA00/00385

(22) International Filing Date:

11 April 2000 (11.04.00)

(30) Priority Data:

60/128,939

13 April 1999 (13.04.99) US

us

(71) Applicant: ANORMED, INC. [CA/CA]; No. 200, 20353-64th Avenue, Langley, British Columbia V2Y 1N5 (CA).


(72) Inventors: WONG, Ernest, S., Y.; Unit 50, 8844-208th Street, Langley, British Columbia V1M 3X7 (CA). GIAN-DOMENICO, Christen, M.; 778 Elm Avenue, Blaine, WA 98230 (US).

(74) Agents: ROBINSON, J., Christopher et al.; Fetherstonhaugh & Co., Box 11560, Suite 2200, 650 West Georgia Street, Vancouver, British Columbia V6B 4N8 (CA). (81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: PROCESS FOR PREPARING AMINE PLATINUM COMPLEXES



(57) Abstract

The present invention relates to the area of platinum drugs. In particular, it relates to an improved process for preparing platinum complexes having general formula (Ia) or (Ib), comprising: 1a) a first step, wherein  $[PtA_4]^{2-}$  is reacted with L under appropriate conditions in a first solvent to form  $[PtA_3(L)]^-$ ; 1b) a second step, wherein  $[PtA_3(L)]^-$  is reacted with L' under appropriate conditions in a second solvent to form cis- $[(PtA_2(L')(L)];$  1c) in the case there Y is halogen or hydroxy a thrid step, wherein cis- $[PtA_2(L')(L)]$  is reacted with  $H_2O_2$ , Y2 or halogen containing oxidant to form c,t,c- $[PtA_2Y_2(L')(L)]$ ; in the case where Y is carboxylate, carbamate or carbonate ester a fourth step, wherein an intermediate, where Y is hydroxy formed in step 1c), is functionalized with an appropriate acylating agent; and 1d) in the case where A is not a halide or is different from the original halide, additional step(s) in which the original halide A of an intermediate formed in step 1a or 1b, 1c or 1d is converted to a different halide or a new leaving group(s) A such as mono-dentate hydroxy, alkoxy, carboxylate or bi-dentate carboxylate, phosphonocarboxylate, diphosphonate, or sulphate; wherein L L' and Y have the meaning as defined in the description.

### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany e	Ll	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

WO 00/61590 PCT/CA00/00385


#### PROCESS FOR PREPARING AMINE PLATINUM COMPLEXES

### CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims benefit of priority to provisional patent application U.S. Serial No. 60/128,939, filed on April 13, 1999, and which is incorporated in its entirety by reference herein.

### TECHNICAL FIELD

The present invention relates to the area of platinum drugs. In particular, it relates to an improved process for preparing platinum complexes having the general formula (Ia) or (Ib):



wherein:

15

20

25

L and L' may be the same or different, provided that L' may be NH<sub>3</sub>, but L may not be NH<sub>3</sub>; and

L and L' are each an amine or substituted amine that coordinates to the Pt atom through a nitrogen atom and is a heterocyclic amine or heteroaromatic amine or is represented by NRR'R", wherein R, R', or R" are independently selected from the group consisting of: hydrogen, substituted or unsubstituted straight, branched or cyclic aliphatic, aryl, nonaromatic or aromatic heterocyclic groups; and preferably L is a substituted amine wherein the substituent sterically hinders access of the Pt atom to a DNA strand of cell, preferably a tumor cell; and

A may be the same or different and is a halogen or a leaving group such as hydroxy, alkoxide, carboxylate and may be the same or different or form a bi-dentate carboxylate, phosphoncarboxylate, diphosphonate or sulfate; and Y is a halogen, hydroxy, carboxylate, carbamate or carbonate ester.

25

#### **BACKGROUND ART**

US Patent No. 4,329,299 and 5,665,771 describe platinum compounds and their usefulness as antitumor drugs. These two patents disclose platinum compounds that encompass complexes of the formula cis-[PtA<sub>2</sub>(L')(L)] and c,t,c-[PtA<sub>2</sub>Y<sub>2</sub>(L')(L)], where A is a leaving group such as halogen, hydroxyl or carboxylate, L is an amine coordinated through the nitrogen atom and L' is an ammonium or substituted amine. The process for preparing these complexes disclosed in the patents are known in the art (Hydes, P. C. US Patent 4.329,299 (1982); Murrer, B. A. US Patent 5,665,771 (1997); Braddock, P. D.; Connors, T. A.; Jones, M.; Khokhar, A. R.; Melzack, D. H.; Tobe, M. L. Chem.-Biol. Interactions 1975, 11, 145-161; and Giandomenico, C. M.; Abrams, M. J.; Murrer, B. A.; Vollano, J. F.; 10 Rheinheimer, M. I.; Wyer, S. B.; Bossard, G. E.; Higgins (III), J. D. Inorg. Chem. 1995, 34, 1015-1021). This process is illustrated in Figure 1 with the synthesis of cis-[PtCl<sub>2</sub>(NH<sub>3</sub>)(L)] and c,t,c-[PtCl<sub>2</sub>(OH)<sub>2</sub>(NH<sub>3</sub>)(L)] as examples. From the readily available and commonly used K<sub>2</sub>[PtCl<sub>4</sub>] starting material, the synthesis of cis-[PtCl<sub>2</sub>(NH<sub>3</sub>)(L)] involves four steps and the synthesis of  $c_1, c_2$  [PtCl<sub>2</sub>Y<sub>2</sub>(NH<sub>3</sub>)(L)] requires five steps. The synthesis of these complexes according to the process known in the art gives low overall yield. US Patent No. 4,329,299 discloses an overall yield from K<sub>2</sub>[PtCl<sub>4</sub>] of less than 8 %, while overall yields of 20-30 % have been reported in US Patent No. 5,665,771 and in the literature (Khokhar et al. and Giandomenico et al.). The low overall yield is due to the many stages involved in the process and to the difficult and low yielding conversion of [PtCl<sub>2</sub>(NH<sub>3</sub>)<sub>2</sub>] to [PtCl<sub>3</sub>(NH<sub>3</sub>)], which requires the use of expensive Pt catalyst. The synthesis of K[PtCl<sub>3</sub>(NH<sub>3</sub>)] from [PtCl<sub>2</sub>(NH<sub>3</sub>)<sub>2</sub>] is also not particularly robust and large scale synthesis producing K[PtCl<sub>3</sub>(NH<sub>3</sub>)] of consistent quality is difficult to achieve. The process described above further requires the use of silver and iodide ions, and generates silver and iodide contaminated waste products.

US Patent 4,533,502 and UK Patent GB 2137198A disclose a synthetic process to prepare [PtX<sub>2</sub>(L)(L')] where L and L' are ligands bonded through amine nitrogen and L≠L' (Rochon, F. D.; Kong, P.-C. *UK Patent GB2137198A* (1984) and Rochon, F. D.; Kong, P.-C. *US Patent 4533502* (1985)). The process is known in the art and the details of this synthetic process has been published (Courtot, P.; Rumin, R.; Peron, A.; Girault, J. P. J.

30 Organometallic Chem. 1978, 145, 343-357 and Rochon, F. D.; Kong, P.-C. Can. J. Chem. 1986, 64, 1894-1896). Figure 2 illustrates the process with [PtCl<sub>2</sub>(L)(L')] as an example. From K<sub>2</sub>[PtCl<sub>4</sub>], the process disclosed in US Patent 4,533,502 and UK Patent GB 2137198A

involves 4 steps and the isolation of 3 intermediate products. The oligomer intermediate product is represented by  $[PtLI_2]_x$  where x = 2 to 4; multiple oligomer species are possible. The overall yield from  $K_2[PtCl_4]$  was not disclosed in the patent. Silver and iodide ions are used in the process and corresponding silver and iodide contaminated wastes are generated.

5

10

**1994**, *33*, 4485-4493).

[PtCl<sub>3</sub>L], where L is an amine other than NH<sub>3</sub>, represent an intermediate in the present invention. The preparation of [PtCl<sub>3</sub>L] from a dilute solution of K<sub>2</sub>[PtCl<sub>4</sub>] in dimethylformamide (DMF) where L are pyridine and pyridine derivatives has been reported (Rochon, F. D.; Kong, P.-C. Can. J. Chem. 1978, 56, 441-445 and Rochon, F. D.; Beauchamp, A. L.; Bensimon, C. Can. J. Chem. 1996, 74, 2121-2130). The preparation of [PtCl<sub>3</sub>L] in solvents other than DMF or H<sub>2</sub>O, or with amine other than pyridine and pyridine derivatives have not been reported. The synthesis of K[PtCl<sub>3</sub>L] in DMF as reported in the literature was performed at 65-80 °C and the yields of the isolated product ranged from 40 % to 90 % depending on the pyridine derivative. Synthesis of [PtCl<sub>3</sub>L] in DMF can produce reactive or unstable Pt DMF complexes that could interfere with subsequent reactions or decompose to give insoluble black Pt impurities. For example in Can. J. Chem. 1978, 56, 441, Rochon et al reported the precipitation of insoluble black material when K[PtCl<sub>3</sub>(2,6-dimethylpyridine)] was dissolved in aqueous solution. It was also reported that an oily paste that contained [PtCl<sub>2</sub>(DMF)(pyridine derivative)] and other impurities was obtained during the isolation of K[PtCl<sub>3</sub>(4-methylpyridine)] and K[PtCl<sub>3</sub>(pyridine)]. Examples of [PtCl<sub>2</sub>(DMF)L] complexes have been reported (Kong, P.-C.; Rochon, F. D.; Can. J. Chem. 1979, 57, 682-684; Rochon, F. D.; Kong, P.-C.; Melanson, R. Can. J. Chem. 1980, 58, 97-101; and Rochon, F. D.; Melanson, R.; Doyon, M.; Butler, I. S. Inorg. Chem.

Citation of the above documents is not intended as an admission that any of the

foregoing is pertinent prior art. All statements as to the date or representation as to the
contents of these documents is based on the information available to the applicants and does
not constitute any admission as to the correctness of the dates or contents of these documents.

Further, all documents referred to throughout this application are incorporated in their entirety
by reference herein. Specifically, the present application claims benefit of priority to U.S.

provisional patent application serial number 60/128,939, which was filed on April 13, 1999
and which provisional patent application is incorporated in its entirety by reference herein.

### INTERNATIONAL SEARCH REPORT

Inte. onal Application No PCT/CA 00/00385

			1017011 00700303	
A. CLASSI IPC 7	FICATION OF SUBJECT MATTER CO7F15/00 //A61K31/28,A61P35/	00		
According to	o international Patent Classification (IPC) or to both national classi	lication and IPC		
B. FIELDS	SEARCHED			
Minimum do IPC 7	commentation searched (classification system followed by classific CO7F	ation symbols)		
Documenta	tion searched other than minimum documentation to the extent tha	t such documents are includ	ed in the fields searched	
ŀ	ata base consulted during the international search (name of data i BS Data	base and, where practical, s	earch terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the	elevant passages	Relevant to claum No.	
A	CHEMICAL ABSTRACTS, vol. 126, no. 7 April 1997 (1997-04-07) Columbus, Ohio, US; abstract no. 194433, TALMAN, EDUARD G. ET AL: "Cryst Molecular Structures of Asymmetr and trans-Platinum(II/IV) Compoutheir Reactions with DNA Fragmer XP002141047 abstract & INORG. CHEM. (1997), 36(5), 85	cal and ric cis- unds and uts"	1,67,68	
X Furth	ner documents are listed in the continuation of box C.	Patent family me	mbers are listed in annex.	
*Special categories of cited documents:  "A" document defining the general state of the art which is not considered to be of particular relevance  "E" earlier document but published on or after the international filling date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.  "A" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.  "A" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.  "A" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such documents.  "A" document to particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is considered.  "A" document of particular relevance; the claimed invention cannot be considered novel or cannot be consi				
	actual completion of the international search		international search report	
	July 2000	25/07/2000		
inaine and m	hailing address of the ISA  European Patent Cffice, P.B. 5818 Patentiaan 2  NL ~ 2280 HV Rijswijk  Tel. (+31-70) 340-2040, Tx, 31 651 epo nl. Fax: (+31-70) 340-3016	Authorized officer Rinkel, L		

5

# INTERNATIONAL SEARCH REPORT

Inte one Application No PCT/CA 00/00385

		PC17CA 00700385				
	Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT					
Category ·	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.				
A	CHEMICAL ABSTRACTS, vol. 108, no. 24, 13 June 1988 (1988-06-13) Columbus, Ohio, US; abstract no. 215224, ROCHON, F. D. ET AL: "Synthesis and studies of platinum(II) compounds of the types K'Pt(amine)C13! and 'Pt(amine)(acetonitrile)C12!" XP002141048 abstract & INORG. CHIM. ACTA (1988), 143(1), 81-7,	1,67,68				
A	CHEMICAL ABSTRACTS, vol. 89, no. 4, 24 July 1978 (1978-07-24) Columbus, Ohio, US; abstract no. 35686, KONG, PI-CHANG ET AL: "Reactions of potassium tetrachloroplatinate(II) with pyridine derivatives in dimethylformamide and synthesis of potassium trichloro(pyridine)platinum(II)" XP002141049 abstract & CAN. J. CHEM. (1978), 56(4), 441-5, cited in the application	1,67,68				

5